



**Technical features:**

- Steel case and striker, painted aluminium grey
- Dead-locking latch
- 12 V ac CE










**Supplied as standard:**

- Striker
- 3 keys item 1.01310.00.1
- Fixing screws
- Instruction sheet



**Hand:**



- 1 = R.H. inwards
- 2 = L.H. inwards
- 3 = R.H. outwards
- 4 = L.H. outwards

Type	Description	Cylinder	Throws	Backset	Unit weight 	Pieces 	ITEM					
							Type	Dim.	Hand	Fin. Pers. Spec.		
	• Inside push-button	 1 02500 00 0	-	40	1,480	1	1	11540	40	1		
			-	40	1,480	1	1	11540	40	2		
	• Inside push-button and cylinder • Hold-open device	 1 02104 00 0	-	40	1,576	1	1	11560	40	1		
			-	40	1,566	1	1	11560	40	2		
	• Inside push-button	 1 02500 00 0	-	50	1,435	1	1	11610	50	1		
			-	50	1,440	1	1	11610	50	2		
			-	60	1,435	1	1	11610	60	1		
			-	60	1,445	1	1	11610	60	2		
			-	70	1,440	1	1	11610	70	1		
			-	70	1,450	1	1	11610	70	2		
			-	80	1,440	1	1	11610	80	1		
			-	80	1,440	1	1	11610	80	2		
			 1 02552 50 0	-	50	1,445	1	1	11611	50	1	
				-	50	1,434	1	1	11611	50	2	
-	60	1,440		1	1	11611	60	1				
-	60	1,440		1	1	11611	60	2				
-	70	1,445		1	1	11611	70	1				
-	70	1,440		1	1	11611	70	2				
-	80	1,439		1	1	11611	80	1				
-	80	1,444		1	1	11611	80	2				

Type	Description	Cylinder	Throws	Backset	Kg	Pieces	ITEM					
							Type	Dim.	Hand	Fin.	Pers.	Spec.
 <ul style="list-style-type: none"> <li>• Inside push-button and cylinder</li> <li>• Hold-open device</li> </ul>	 <p>1 02104 00 0</p>	-	50	1,538	1	1	11630	50	1			
		-	50	1,523	1	1	11630	50	2			
		-	60	1,533	1	1	11630	60	1			
		-	60	1,529	1	1	11630	60	2			
		-	70	1,532	1	1	11630	70	1			
		-	70	1,527	1	1	11630	70	2			
		-	80	1,536	1	1	11630	80	1			
		-	80	1,531	1	1	11630	80	2			
		 <p>1 02110 00 0</p>	-	50	1,538	1	1	11631	50	1		
			-	50	1,523	1	1	11631	50	2		
			-	60	1,533	1	1	11631	60	1		
			-	60	1,529	1	1	11631	60	2		
			-	70	1,532	1	1	11631	70	1		
			-	70	1,527	1	1	11631	70	2		
-	80		1,536	1	1	11631	80	1				
-	80		1,531	1	1	11631	80	2				
 <ul style="list-style-type: none"> <li>• Double throw dead-bolt</li> <li>• Inside cylinder</li> </ul>	 <p>1 02146 00 0</p>		2	50	1,660	1	1	11660	50	1		
			2	50	1,664	1	1	11660	50	2		
		2	60	1,675	1	1	11660	60	1			
		2	60	1,676	1	1	11660	60	2			
		2	70	1,676	1	1	11660	70	1			
		2	70	1,675	1	1	11660	70	2			
		2	80	1,694	1	1	11660	80	1			
		2	80	1,692	1	1	11660	80	2			
		 <p>1 02145 00 0</p>	2	50	1,665	1	1	11661	50	1		
			2	50	1,669	1	1	11661	50	2		
			2	60	1,673	1	1	11661	60	1		
			2	60	1,685	1	1	11661	60	2		
			2	70	1,700	1	1	11661	70	1		
			2	70	1,682	1	1	11661	70	2		
2	80		1,681	1	1	11661	80	1				
2	80		1,683	1	1	11661	80	2				
 <ul style="list-style-type: none"> <li>• Double throw dead-bolt</li> <li>• Inside push-button and cylinder</li> </ul>	 <p>1 02146 00 0</p>		2	50	1,656	1	1	11670	50	1		
			2	50	1,650	1	1	11670	50	2		
		2	60	1,660	1	1	11670	60	1			
		2	60	1,670	1	1	11670	60	2			
		2	70	1,670	1	1	11670	70	1			
		2	70	1,665	1	1	11670	70	2			
		2	80	1,675	1	1	11670	80	1			
		2	80	1,675	1	1	11670	80	2			
		 <p>1 02145 00 0</p>	2	50	1,657	1	1	11671	50	1		
			2	50	1,654	1	1	11671	50	2		
			2	60	1,667	1	1	11671	60	1		
			2	60	1,666	1	1	11671	60	2		
			2	70	1,664	1	1	11671	70	1		
			2	70	1,670	1	1	11671	70	2		
2	80		1,678	1	1	11671	80	1				
2	80		1,679	1	1	11671	80	2				

Type	Description	Cylinder	Throws	Backset	Unit weight  Kg	 Pieces	ITEM			
							Type	Dim.	Hand	Fin.

 <ul style="list-style-type: none"> <li>• WITH SIGNAL LIGHT</li> <li>• Inside push-button and cylinder</li> <li>• Hold-open device</li> </ul>	 1 02104 00 0	- 50	1,579	1	1 11635 50 1				
		- 50	1,566	1	1 11635 50 2				
		- 60	1,576	1	1 11635 60 1				
		- 60	1,569	1	1 11635 60 2				
		- 70	1,572	1	1 11635 70 1				
		- 70	1,564	1	1 11635 70 2				
		- 80	1,573	1	1 11635 80 1				
		- 80	1,568	1	1 11635 80 2				

 <ul style="list-style-type: none"> <li>• FOR OUTWARD OPENING DOORS</li> <li>• Inside push-button</li> </ul>	 1 02500 00 0	- 50	1,490	1	1 11610 50 3				
		- 50	1,481	1	1 11610 50 4				
		- 60	1,494	1	1 11610 60 3				
		- 60	1,495	1	1 11610 60 4				
		- 70	1,496	1	1 11610 70 3				
		- 70	1,486	1	1 11610 70 4				
		- 80	1,492	1	1 11610 80 3				
		- 80	1,480	1	1 11610 80 4				